HITACHI Inspire the Next

PH-5 Na Amino Acid Buffer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 11/15/2018 Version: 2

Hitachi High Technologies America, Inc.

SECTION 1: Identification of the subs	stance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: PH-5 Na Amino Acid Buffer
Product code	: ANO-5045
Other means of identification	: PH-5 Buffer for L-8800(A)\L-8900
1.2. Relevant identified uses of the subst	tance or mixture and uses advised against
Use of the substance/mixture	: Buffer
1.3. Details of the supplier of the safety of	
ADS Biotec Inc.	
7409 Irvington Road Omaha, NE 68122 - USA <u>support@adsbiotec.com</u>	
1.4. Emergency telephone number	
Emergency Contact Number	: USA: 1-800-255-3924 (CHEMTEL 24hr); International: +1-813-248-0585 (CHEMTEL 24hr)
SECTION 2: Hazards identification	
2.1. Classification of the substance or m	ixture
GHS-US classification	
Flam. Liq. 3 H226	
2.2. Label elements	
GHS-US labeling	
	GHS02 GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H226 - Flammable liquid and vapour
Precautionary statements (GHS-US)	 P210 - Keep away from heat, sparks, open flames, hot surfaces No smoking P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment
	P241 - Use explosion-proof electrical, lighting, ventilating equipment
	P242 - Use only non-sparking tools
	P243 - Take precautionary measures against static discharge P280 - Wear protective gloves, protective clothing, eye protection, face protection
	P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated
	clothing. Rinse skin with water/shower
	P403+P235 - Store in a well-ventilated place. Keep cool
2.3. Other hazards	
Other hazards not contributing to the	: May cause eye irritation. Repeated or prolonged contact may cause skin irritation. May cause
classification	irritation to the respiratory tract.
2.4. Unknown acute toxicity (GHS-US)	
No data available	
SECTION 3: Composition/information	n on ingredients
Not applicable	
Full text of H-phrases: see section 16	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2.	Mixture			
Name		Product identifier	%	GHS-US classification
Ethano		(CAS No) 64-17-5	8	Flam. Liq. 2, H225
Sodiur	n Hydroxide	(CAS No) 1310-73-2	1.6	Eye Irrit. 2A, H319
ECT	ION 4: First aid measures			
.1.	Description of first aid measures			
irst-ai		Never give anything by mouth to an u (show the label where possible).	inconscious person.	If you feel unwell, seek medical advice
irst-ai	d measures after inhalation :	Remove to fresh air, keep the patient attention.	warm and at rest. If	symptoms develop obtain medical
irst-ai		Rinse skin with water/shower. Removes symptoms develop obtain medical att		tely all contaminated clothing. If
First-aid	d measures after eye contact :	Rinse immediately with plenty of wate easy to do. Continue rinsing. If symptotic	er for 15 minutes. Re toms develop obtain	emove contact lenses, if present and medical attention.
irst-ai	d measures after ingestion :	Rinse mouth. Do NOT induce vomitir obtain medical attention.	ng. Give 100 - 200 m	I of water to drink. If symptoms develo
.2.	Most important symptoms and effects,	both acute and delayed		
ympto	oms/injuries	Not expected to present a significant	hazard under anticip	pated conditions of normal use.
.3.	Indication of any immediate medical att	ention and special treatment need	ed	
	ymptomatically.			
	ION 5: Firefighting measures			
.1. Suitable	Extinguishing media	Form Dry powdor Corbon diovide	Nator coroy Sand	
		Foam. Dry powder. Carbon dioxide.	water spray. Sand.	
		Do not use a heavy water stream.		
2.	Special hazards arising from the substa			
ire ha		Flammable liquid and vapour.		
xplosi		On exposure to high temperature, ma flammable/explosive vapour-air mixtu		ising explosive vapours. May form
Reactiv	ity :	Stable under normal conditions.		
.3.	Advice for firefighters			
irefigh		Use water spray or fog for cooling ex chemical fire. Avoid fire-fighting wate		
Protect	ion during firefighting :	Fire fighters should wear complete pr apparatus.	otective clothing inc	luding self-contained breathing
SECT	ION 6: Accidental release measur	es		
6.1.	Personal precautions, protective equip			
Senera	I measures	Avoid contact with eyes, skin and clo	thing.	
5.1.1.	For non-emergency personnel			
_		Evacuate unnecessary personnel.		
•				
.1.2.	For emergency responders	Woor quitable protective elethics and	ave or foce protect	on an
	• •	Wear suitable protective clothing and		
merge		Remove ignition sources. Avoid conta ventilation.	act with eyes, skin a	na ciotning. Ensure adequate
.2.	Environmental precautions			
void r	elease to the environment. Notify authorities	f liquid enters sewers or public waters	6.	
.3.	Methods and material for containment a	and cleaning up		
1ethod		Absorb with earth, sand or other non- disposal. Use non-sparking tools. Wa		
5.4.	Reference to other sections			
		SECTION 13: Disposal consideration		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling	: Keep away from open flames, hot surfaces and sources of ignition. Avoid contact with skin, eyes and clothing. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No naked lights. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, including	ng any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	: Keep only in the original container in a cool well ventilated place. Keep container tightly closed.
Incompatible products	: Acids. Strong bases. Metals. Oxidizing agent. Reducing agents. combustible materials.
Incompatible products	: Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

A buffer used for amino acid analysis by HPLC in a professional diagnostic or research laboratory.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

Ethanol (64-17-5)		
USA OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	1000 ppm

8.2. Exposure controls	
Appropriate engineering controls	: Ensure adequate ventilation.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear chemically resistant protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Respiratory protection	 In case of inadequate ventilation: Use an approved air purifying respirator to control exposure. Follow respirator protection requirements (OSHA 1910.134 and ANSI Z88.2) for all respirator use.
Thermal hazard protection	: Not required for normal conditions of use.
Environmental exposure controls	: Not normally required.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: Clear.	
Colour	: Colourless.	
Odour	: characteristic.	
Odour threshold	: No data available	
рН	: >12	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: -114 °C -173 °F	
Freezing point	: No data available	
Boiling point	: 79 °C 174 °F	
Flash point	: 44 °C 111 °F	
Self ignition temperature	: > 363 °C >685 °F	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: 44.6 mm Hg @ 20 °C (68 °F)	
Relative vapour density at 20 °C	: 1.6	
11/15/0010	EN (Enclich)	2/

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Physical state	: Liquid	
Relative density	: 1	
Solubility	: Miscible with water.	
Log Pow	: No data available	
Log Kow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: 3.3 - 19 vol %	

9.2. **Other information**

No additional information available

SECTION 10: Stability and reactivity			
10.1. Reactivity			
Stable under normal conditions.			
10.2. Chemical stability			
Stable under normal conditions.			
10.3. Possibility of hazardous reactions			
Flammable liquid and vapour.			
10.4. Conditions to avoid			
Extremely high or low temperatures. Direct sunlight. Open flame. Overheating. Heat. Sparks.			
10.5. Incompatible materials			
Acids. metals. Strong bases. Oxidizing agents. Reducing agents. Strong acids.			
10.6. Hazardous decomposition products			

Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information Information on toxicological effects 11.1.

Acute toxicity

: Not classified

Ethanol (64-17-5)		
LD50 oral rat	7060 mg/kg	
LC50 inhalation rat (ppm)	20000 ppm 10 H	
Skin corrosion/irritation	: Not classified	
	pH: > 12	
Serious eye damage/irritation	: Not classified	
	pH: > 12	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
	Based on available data, the classification criteria are not met	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
	Based on available data, the classification criteria are not met	
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated	: Not classified	
exposure)	Based on available data, the classification criteria are not met	
Aspiration hazard	: Not classified	
	Based on available data, the classification criteria are not met	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potential Adverse human health effects and : Based on available data, the classification criteria are not met. symptoms

Symptoms	
SECTION 12: Ecological information	
I2.1. Toxicity	
Ecology - general	: Not classified.
2.2. Persistence and degradability	
PH-5 (L-8800 (A) AAA Buffer 1)	
Persistence and degradability	No information available.
2.3. Bioaccumulative potential	
PH-5 (L-8800 (A) AAA Buffer 1)	
Bioaccumulative potential	No information available.
2.4. Mobility in soil	
PH-5 (L-8800 (A) AAA Buffer 1)	
Ecology - soil	No information available.
2.5. Other adverse effects	
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideration	S
3.1. Waste treatment methods	
Vaste disposal recommendations	: Empty containers should be taken to an approved waste handling site for recycling or disposal. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to
dditional information	: Handle empty containers with care because residual vapours are flammable.
cology - waste materials	: Avoid release to the environment.
CECTION 44. Transport information	
SECTION 14: Transport information	
n accordance with DOT	. 4470
JN-No.(DOT)	: 1170 : Ethanol Solutions
OOT Proper Shipping Name	
Department of Transportation (DOT) Hazard Classes	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
lazard labels (DOT)	: 3 - Flammable liquid
OOT Symbols	: G - Identifies PSN requiring a technical name
acking group (DOT)	: II - Medium Danger
OOT Packaging Exceptions (49 CFR 173.xxx)	: 4b, 150
OT Packaging Non Bulk (49 CFR 173.xxx)	: 202
OOT Packaging Bulk (49 CFR 173.xxx)	: 242
OOT Quantity Limitations Passenger aircraft/rail 49 CFR 173.27)	: 5L
OOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
OOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Additional information	
Other information	: Not classified.
Special transport precautions	: No special precautions required.
1/15/2018	EN (English) E17
11/15/2018	EN (English) 5/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea	
UN-No. (IMDG)	: 1170
Proper Shipping Name (IMDG)	: Ethanol Solution
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: II - substances presenting Medium danger
Air transport	
UN-No.(IATA)	: 1170
Proper Shipping Name (IATA)	: Ethyl Alcohol Solution
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: II - Medium Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

Ethanol (64-17-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
15.2. International regulations	

CANADA

PH-5 (L-8800 (A) AAA Buffer 1)	
WHMIS Classification	Class B Division 2 - Flammable Liquid
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects

15.2.2. National regulations

Ethanol (64-17-5)	
Listed on IARC (International Agency for Research on Cancer)	

15.3. US State regulations

Ethanol (64-17-5)	
U.S New Jersey - Right to Know Hazardous Substance List	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information	
Abbreviations and acronyms	: ADR (Accord européen relatif au transport international des marchandises Dangereuses par Route). CAS (Chemical Abstracts Service) number. IARC (International Agency for Research on Cancer). IATA (International Air Transport Association). IMDG (International Maritime Dangerous Goods Code). RID (Règlement concernant le transport international ferroviaire de marchandises).
Other information	: None.

Full text of H-phrases: see section 16:

Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H319	Causes serious eye irritation

NCEC SDS US GHS (Hazcom 2012)

The information and recommendations contained herein are based upon data believed to be up-to-date and correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information and recommendations contained herein. We accept no responsibility and disclaim all liability for any harmful effects that may be caused by (incorrect) use, handling, purchase, resale, or exposure to our product. Customers and users of our product must comply with all applicable health and safety laws, regulations, and orders. In particular, they are under an obligation to carry out a risk assessment for the particular work places and to take adequate risk management measures in accordance with the national implementation legislation of EU Directives 89/391 and 98/24.