

Specific Isolation Kits and Optional Products


- QuickGene isolation kits are optimized for the system to isolate DNA in the shortest time and with the highest quality.
- Environmentally friendly isolation can be conducted without using hazardous organic solvents.

| Samples | Isolation kits | Reference code | Isolation examples |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------|------------------------------------------|
| human/animal whole blood, buffy coat, plasma, serum | DNA Whole Blood Kit L | DB-L [For 48 samples] | Approx. 50 μg / 2 ml of whole blood |
| animal tissue, plants, insects, fish and shellfish, cheek swab, paraffin-embedded samples, cultured cells, bacteria, virus, materials, manufactured goods | DNA Tissue Kit L | DT-L [For 48 samples] | Approx. 80 μg / 100 mg of mouse liver |

*The kits are not supplied with QuickGene-Mini8L. Select the desired kit(s) and order it(them) separately.

| Optional Products | Reference Code | Contents |
|----------------------------------------------|------------------|-----------------------------------------------------------------------------------------------------------------------|
| QuickGene-Mini S type compatible adapter Set | QG-Mini S AD set | cartridge holder, waste tube holder, collection tube holder, pressure adapter, pressure seal plate, separator, nozzle |

QuickGene - Mini8L Specifications





Automated Nucleic Acid Isolation System

QuickGene - Mini8L



For Compact device for large volume isolation





Compact device for large volume samples. Getting high-yield of DNA at a single run.


QuickGene - Mini8L is a compact system requiring no centrifugation in the isolation process, giving less stress to samples and enabling rapid nucleic acid isolation. DNA can be easily isolated from various large scale samples including whole blood, tissue, plants and others.

Compact design

- The small, light weight QuickGene-Mini8L takes up minimal space on the lab bench and even in the clean bench.
- No need to move the samples from the lab bench without centrifugation throughout the whole isolation process.
- QuickGene-Mini8L is suitable for virus or contaminants sample because it can be used in a safety cabinet.

Revolutionary porous membrane

- •The QuickGene-Mini8L uses patented porous membrane less than 100 μm thick.
- Depending on the outstanding adsorption/ desorption performances of the membrane, high-purity nucleic acid can be easily obtained in high yield at low pressure.
- The ultra thin membrane enables nucleic acid isolation in shorter time than when compared to glass fiber membranes.



DNA isolation from large volume samples

QuickGene-Mini8L can be used for DNA isolation from large volume samples (ex. 2 ml of whole blood, 100 mg of mouse liver) and allows to get high-yield of DNA at a single run.

Using the optional parts, the device can also be applied for high-throughput nucleic acid isolation (max. 48 samples per run) from small volume samples (ex. 200 μ l of whole blood, 5 mg of mouse liver) using multi-channel pipettes.

Large volume sample (ex. whole blood 2 ml)




QuickGene-Mini8L


QuickGene-Mini8L can be used to isolate high-yield, highpurity and long DNA fragments of maximum 90 kbp length. The isolated DNA can be directly applied to PCR, RT-PCR, next generation sequencing analysis, DNA microarray, restriction enzyme digestion, southern blotting, etc.

DNA isolation from whole blood

Isolation kit: DNA Whole Blood kit L Sample: human fresh whole blood (2 ml)



Small volume sample (ex. whole blood 200 µl)




Holder set (option)


High-Quality and High-Yield DNA

DNA isolation from saliva

Isolation kit: DNA Tissue Kit L Sample: human saliva with Oragene[®] (2 ml)


Agarose gel electrophoresis






Human saliva with Oragene® (Sampling by 8 different donors)

PCR of isolated saliva DNA Amplicon



Pulsed-field gel electrophoresis Saliva DNA M1M2



M1: Lambda PFG Ladder M2 : λ Hind III marker

Target gene Human GAPDH (451 bp)

M: φX174 Hinc Π size marker